How Accurate is Rivermap's COVID-19 Symptoms Prediction

November 2020 Update

Mai Wang

Rivermap Research & Consulting LLC released a COVID-19 predicted symptom list on February 6, 2020 [32]. The prediction was done based on Rivermap's proprietary genome analysis algorithm and software call GENEIDO. The software converted the genome sequence data of SARS-CoV-2 to three-layer charts that illustrated their nucleotide distributions in the germ layers. The COVID-19 symptoms were generated based on the nucleotide ratios from each layer of the charts. The software runs in real time and generates output within minutes, mostly within ONE minute.

Predictions: (1) There are THREE types of COVID-19 viruses (named S1, S2 and S3). (2) Each type contains a unique list of symptoms as shown in the Table 1. (3) People may be able to contract more than one virus. (4) The viruses can attack multiple organs including lung, kidney, liver, heart, spleen, pancreas, brain, and Central Nervous System (CNS). (5) The viruses may weaken tendons and muscles and may lead to paralysis (some maybe temporary). (6) The viruses can also weaken immunity. (7) The viruses may be self-restraint so that the symptoms may disappear without treatment. (8) Some patients may be asymptomatic. (9) If one is contracted with all three types, he/she may be asymptomatic until the viruses grow to a critical number, the patient may collapse and die due to one or multiple organs failure. (10) The viruses can cause miscarriage in pregnant women or premature birth.

Result: On April 10, 2020, GENEIDO showed that among all the SARS-CoV-2 genome sequence submissions in GENBANK, there are 58% of S1, 28.8% of S2 and 13.2% of S3. On May 24, the percentages of the predicted symptoms that had been reported by various sources around the world for S1 is 100%; S2 is 100% and S3 is 91.7%. On November 28. 2020, more reports on COVID-19 related endocarditis, miscarriage or premature birth cases were found which brings the accuracy of S1 to 100%. No report can be found on patients contracted with THREE types of coronaviruses. However, all symptoms were being reported separately. Please see Table 1 and 2.

Discussion: Table 1 and 2 below suggest that Rivermap's COVID-19 symptoms prediction is close to 100% accuracy. Both Rivermap and the team in Cambridge led by Dr Forster [28] discovered three types of coronaviruses viruses coexist even our approaches are quite different. We believe this information is important for the vaccine and drug vendors. Last, any medical professionals can predict the symptoms based on the three-layer chart output by the software just like cardiologists can predict heart conditions based on ECGs. We welcome our colleagues in the field to do more testing with us.

Updates (Nov 28, 2020):

1. Two reports on COVID-19 related miscarriage or premature birth are found and added to the reference list.

- 2. One report on COVID-19 related endocarditis is found and added to the reference list.
- 3. With 1 and 2, Rivermap's COVID-19 Symptom Prediction Accuracy has reached 100% for all three types.

	Symptoms Predicted	Reported By
S1 type		
	Fever	[1] [2]
2.	Chill and shivering	[1], [3], [4], [5]
3.	Rash and/or bleeding underneath skin (e.g. rosy spots)	[2], [5], [6], [7]
4.	Lung edema	[8]
5.	Kidney damage	[3], [5]
6.	miscarriage	[10] [33], [34]
7.	Spleen and/or pancreatic failure	[11], [12]
8.	Decrease in CNS & brain functions	[1], [13], [3]
9.	Flaccid paralysis (may be temporary)	[2], [14]
10.	Muscle and joint pain	[15], [4]
11.	Increase in RBC	[16]
12.	Unstable WBC	[4], [17]
13.	Shortness of breath	[1], [2], [5]
14.	Headache	[13]
15.	Less or no diarrhea	[5]
16.	Myocarditis	[5], [18]
17.	SHOCK in children	[5], [19]
\$2	type	
	Fever	[1], [2]
2.	Rash may be seen	[2], [5]
3.	Lung edema	[8]
4.	Shortness of breath	[1], [2], [5]
5.	Muscle weakness may lead to paralysis	[2], [14]

6.	Decrease in WBC	[4], [17]
7.	Kidney damage	[5]
7.	Runcy dumage	[5]
8.	miscarriage	[10] [33] [34]
9.	Decrease in CNS & brain functions	[1], [13]
10.	Liver failure	[5], [20]
11.	Spleen and/or Pancreatic damage	[11], [12]
12.	Unstable blood pressure	[5], [21]
13.	Diarrhea	[5]
14.	Cough with phlegm	[5], [22]
S3 1	уре	
1.	Low or no fever, more likely to have chill and shivering	[1], [3], [4], [5]
2.	Inner lining necrosis, lesion, dehydration of lung, respiratory & digestive tracts	[5], [23], [24]
3.	Flaccid paralysis (may be temporary)	[2], [14]
4.	Liver damage	[5], [20]
1.	Endocarditis	[35]
2.	Loss of hair	[25]
5.	Shortness of breath	[1], [2], [5]
6.	Sweating	[3]
7.	Cough with or without phlegm	[5], [22]
8.	Pus could be found later in Lung	[26]
9.	SHOCK	[5], [8]
10.	Unstable blood pressure	[5], [21]
11.	Diarrhea	[5]

12.	Headache	[13]
S1-	+S2+S3 Key symptom prediction:	
1.	Chill, some may have fever and chill	[1], [3], [4]
2.	Extreme fatigue	[1], [2]
3.	Shortness of breath	[1], [2], [5]
4.	Pneumonia symptoms (cough with phlegm), pus	[26]
5.	Diarrhea	[5]
6.	Miscarriage	[10] [33] [34]
7.	Some patients may be asymptomatic	[5]
8.	 When the viruses reach a critical number, the patient may suddenly faint due to brain/CNS failure become paralyzed due to tendon and muscle failure collapse and die due to one or more organ failure (brain, liver, muscle, tendon, kidney) 	[2], [27]

Table 1

S1 Symptoms Prediction Accuracy: 17/17 = 100%

S2 Symptoms Prediction Accuracy: 14/14 = 100%

S3 Symptoms Prediction Accuracy: 12/12 = 100%;

S1+S2+S3 Symptoms Prediction Accuracy: No report can be found on patients contracted with THREE types of coronaviruses. However, all symptoms were being reported separately (i.e. 8/8).

	General Prediction	Field Reports
1.	There are THREE types COVID-19 viruses out there	[28]
2.	Symptoms may disappear without treatment	[29]
3.	Patients can be infected with more than 1 virus strain	[30]
4.	COVID-19 patients could be asymptomatic	[5], [31]

Table 2

General Prediction Accuracy: 4/4 = 100%

End of Article

Reference:

[1] CDC, https://www.cdc.gov/coronavirus/2019-ncov/symptoms-testing/symptoms.html

[2] WHO, https://www.who.int/health-topics/coronavirus#tab=tab_3

[3] Coronavirus (COVID-19) Updates, CMC,

https://www.conwaymedicalcenter.com/corona-virus-covid-19-updates/

[4] Coronavirus disease 2019,

https://en.wikipedia.org/wiki/Coronavirus disease 2019#Signs and symptoms

[5] Coronavirus: novel coronavirus (COVID-19) infection: Clinical Presentation, <u>https://www.elsevier.com/__data/assets/pdf_file/0011/990722/Coronavirus-novel-coronavirus-COVID-19-infection-CO-200520.pdf</u>

[6] Could bruises on your FEET be a sign of coronavirus?, By VANESSA CHALMERS HEALTH REPORTER FOR MAILONLINE, PUBLISHED: 17:00 BST, 14 April 2020 | UPDATED: 20:02 BST, 14 April 2020, <u>https://www.dailymail.co.uk/news/article-8217901/Could-bruises-FEET-sign-</u> <u>coronavirus-Doctors-suspect-link.htm</u>

[7] American Academy of Ophthalmology Issues Coronavirus Guidelines, Matthew Gavidia, March 09, 2020, <u>https://www.ajmc.com/newsroom/american-academy-of-ophthalmology-issues-coronavirus-guidelines</u>

[8] Features, Evaluation and Treatment Coronavirus (COVID-19), Marco Cascella; Michael Rajnik; Arturo Cuomo; Scott C. Dulebohn; Raffaela Di Napoli, Last Update: April 6, 2020, <u>https://www.ncbi.nlm.nih.gov/books/NBK554776/</u>

[10] Second-Trimester Miscarriage in a Pregnant Woman With SARS-CoV-2 Infection, David Baud, MD, PhD¹; Gilbert Greub, MD, PhD²; Guillaume Favre, MD, *JAMA*. Published online April 30, 2020. doi:10.1001/jama.2020.7233

https://jamanetwork.com/journals/jama/fullarticle/2765616

[11] Serologic Evidence of Pancreatic Injury in COVID-19, <u>Douglas G. Adler, MD, FACG,</u> <u>AGAF, FASGE</u> reviewing Wang F et al. Gastroenterology 2020 Apr 17, <u>https://www.jwatch.org/na51331/2020/04/17/serologic-evidence-pancreatic-injury-covid-19</u>

[12] 29 autopsies revealed that the new crown virus attacked the superpowers and overwhelmed the immune system. (Taiwan) 29 具屍檢 揭新冠病毒攻擊性超強擊垮免疫系統致命, Published on 24/03/2020 - 15:46, Last Update 24/03/2020 - 15:46

http://www.rfi.fr/tw/%E4%B8%AD%E5%9C%8B/20200324-

29%E5%85%B7%E5%B1%8D%E6%AA%A2-%E6%8F%AD%E6%96%B0%E5%86%A0%E7%97%85%E6%AF%92%E6%94%BB%E6%93%8A%E6%80% A7%E8%B6%85%E5%BC%B7%E6%93%8A%E5%9E%AE%E5%85%8D%E7%96%AB%E7%B3%BB%E7%B 5%B1%E8%87%B4%E5%91%BD

[13] Epidemiological and clinical characteristics of 99 cases of 2019 novel coronavirus pneumonia in Wuhan, China: a descriptive study, Nanshan Chen*, Min Zhou*, Xuan Dong*,

Jieming Qu^{*}, Fengyun Gong, Yang Han, Yang Qiu, Jingli Wang, Ying Liu, Yuan Wei, Jia'an Xia, Ting Yu, Xinxin Zhang, Li Zhang,

https://www.thelancet.com/pdfs/journals/lancet/PIIS0140-6736(20)30211-7.pdf

[14] Coronavirus Patients Are Reporting Neurological Symptoms. Here's What You Need to Know, JEREMY ROSSMAN, THE CONVERSATION 27 APRIL 2020, https://www.sciencealert.com/some-covid-19-patients-are-also-reporting-neurologicalsymptoms

[15] Coronavirus warning – do you have achy joints? The sign you should never ignore, By <u>MATT ATHERTON</u>, PUBLISHED: 17:09, Fri, Apr 3, 2020 | UPDATED: 17:49, Fri, Apr 3, 2020, <u>https://www.express.co.uk/life-style/health/1264674/coronavirus-symptoms-signs-covid-19-infection-joint-pain-aches</u>

[16] Severe COVID-19 Coagulation Characteristics and Recommendation to Coagulation Test 重症新冠病毒肺炎凝血特征及凝血检查建议, By Tang Ning, Published on 2020-3-17, <u>https://www.ddm360.com/apparticle/detail/1083</u>

[17] The Control Protocol for Pneumonia Caused by The Novel Coronavirus (Third Edition) – published by Chinese General Office of National Health Commission, 新型冠状病毒感染的肺炎防控

方案 (第三版) - 国家卫生健康委员会办公厅, <u>http://www.gov.cn/zhengce/zhengceku/2020-</u> 01/29/5472893/files/2efb7f97b77d42d6bf4baba8569ac73c.pdf

[18] 41 名新冠肺炎患者 · 12%出現急性暴發性心肌炎! 41 COVID-19 patients, 12% showed acute myocarditis, Medical Cardiovascular Channel Posted in Health, Published In 2020-2-13, <u>https://kknews.cc/zh-hk/health/4b9xqvx.html</u>

[19] Hyperinflammatory shock in children during COVID-19 pandemic, Shelley Riphagen, Xabier Gomez, Carmen Gonzalez-Martinez, Nick Wilkinson, Paraskevi Theocharis, Published:May 07, 2020, DOI: <u>https://doi.org/10.1016/S0140-6736(20)31094-1</u>, <u>https://www.thelancet.com/journals/lancet/article/PIIS0140-6736(20)31094-1/fulltext</u>

[20] Liver injury in COVID-19: management and challenges, Chao Zhang, Lei Shi, Fu-Sheng Wang, Published: March 04, 2020DOI:https://doi.org/10.1016/S2468-1253(20)30057-1, https://www.thelancet.com/journals/langas/article/PIIS2468-1253(20)30057-1/fulltext

[21] Coronavirus Disease 2019 (COVID-19) Provides Potent Reminder of the Risk of Infectious Agents, <u>https://www.acc.org/latest-in-</u> <u>cardiology/articles/2020/03/01/08/42/feature-coronavirus-disease-2019-covid-19-provides-</u> <u>potent-reminder-of-the-risk-of-infectious-agents</u>

[22] Clinical course and risk factors for mortality of adult inpatients with COVID-19 in
 Wuhan, China: a retrospective cohort study, Fei Zhou, MD, Ting Yu, MD, Ronghui Du, MD,
 Guohui Fan, MS Ying Liu, MD, Zhibo Liu, MD, et al. Published:March 11, 2020, DOI:
 https://doi.org/10.1016/S0140-6736(20)30566-3

https://www.thelancet.com/journals/lancet/article/PIIS0140-6736(20)30566-3/fulltext

 [23] Digestive system is a potential route of COVID-19, Hao Zhang, Zijian Kang, Haiyi Gong, Da Xu, Jing Wang, Zhixiu Li, Zifu Li, Xinggang Cui, Jianru Xiao, Jian Zhan, Tong Meng, Wang Zhou, Jianmin Liu, Huji Xu, GUT, BMJ Journals, Volume 69, Issue 6 <u>https://gut.bmj.com/content/early/2020/04/02/gutjnl-2020-320953</u>

[24] COVID-19: Recovered patients have partially reduced lung function: Scans suggest sustained organ damage, CORONA, DW, <u>https://www.dw.com/en/covid-19-recovered-patients-have-partially-reduced-lung-function/a-52859671</u>

[25] A preliminary observation: Male pattern hair loss among hospitalized COVID-19 patients in Spain – A potential clue to the role of androgens in COVID-19 severity,

https://onlinelibrary.wiley.com/doi/full/10.1111/jocd.13443

[26] What Happens When a Coronavirus Infection Becomes Severe: like COVID-19 is causing, those air spaces fill up with pus, <u>https://www.aarp.org/health/conditions-treatments/info-2020/serious-covid19-infections.html</u>

[27] Are People Collapsing in the Street from Coronavirus?

A spokesperson for the World Health Organization said that fainting in this manner from coronavirus would be "atypical.", DAN, EVON, Published 30 JANUARY 2020, https://www.snopes.com/fact-check/people-collapsing-coronavirus/

[28] COVID-19: genetic network analysis provides 'snapshot' of pandemic origins, Forster et al., Cambridge University, April 9, 2020

https://www.cam.ac.uk/research/news/covid-19-genetic-network-analysis-provides-snapshot-of-pandemic-origins

[29] **COVID-19** is a self-limiting disease that can be cured without treatment? 新冠肺炎是自限性疾病,不用治疗就可痊愈?

http://www.xinhuanet.com/science/2020-02/13/c 138779482.htm

[30] Iceland patient infected by two strains, AGENCIES 30 Mar 2020,

https://www.thestandard.com.hk/section-news/section/11/217711/Iceland-patientinfected-by-two-strains

[31] Up to 25% of people with COVID-19 may not show symptoms, **By Rachael** Rettner - Senior Writer April 01, 2020,

https://www.livescience.com/coronavirus-asymptomatic-spread.html

[32] 2019-nCoV Strain Comparison & Symptoms Prediction, by Mai Wang, February 6, 2020,

https://rivermapsolution.com/Sample-Reports/Comparison-S1-S2-S3.pdf, OR

https://www.linkedin.com/in/drmaiwangdna/detail/recent-activity/shares/

[33] New research helps to increase understanding of the impact of COVID-19 for pregnant women and their babies

https://www.who.int/news/item/01-09-2020-new-research-helps-to-increaseunderstanding-of-the-impact-of-covid-19-for-pregnant-women-and-their-babies

[34] Miscarriage Risk in COVID-19 Infection

https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7429115/

[35] COVID-19 concomitant with infective endocarditis: A case report and review of management

https://www.sciencedirect.com/science/article/pii/S1201971220304975